



ForceÂ® Kraken Trolling motor 63 Inch White

6599

Specifications

**Boat Details**

Price	6599	Boat Brand	Garmin
Model	ForceÂ® Kraken Trolling motor	Length	0.00
Year	2025	Category	Boat Parts and Accessories
Hull Style		Hull Type	
Power Type		Stock Number	010-02574-00
Condition	New	State	Queensland
Suburb	INGHAM	Engine Make	

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (07) 4776 1188

Email: [jbmarine@bigpond.com](mailto:jbmarine@bigpond.com)

Website: [www.jandbmarine.com](http://www.jandbmarine.com)

102 Cartwright Street Ingham QLD 4850

---

## Description

THERE'S A NEW LEGEND TO BEHOLD

The Force Kraken trolling motor is engineered with a longer shaft for boats with high freeboards and a pivot-style mount for easy installation in vessels where bow space is limited.

LEGENDARY POWER AND PERFORMANCE; 100 LBS OF THRUST<sup>1</sup>

WIRELESS INTEGRATION WITH GARMIN CHARTPLOTTERS

STAY ON THE FISH WITH ANCHOR LOCK AND MULTI-BAND GPS

PIVOT-STYLE MOUNT FOR EASY INSTALLATION

AVAILABLE IN 48-INCH, 63-INCH, 75-INCH AND 90-INCH SHAFT LENGTHS

ENGINEERED FOR THE HARSH SALTWATER ENVIRONMENTWHAT YOU'LL LOVE HIGH POWERED

Force Kraken provides legendary power and performance with 100 lbs of thrust<sup>1</sup>.DESIGNED TO ENDURE

The sturdy composite shaft and all components are built to endure harsh marine environments and have advanced corrosion and saltwater protection.POWER THAT LASTS

Efficient brushless motor design has longer run times than brushed motors and allows you to focus on fishing — and not running out of battery.

PURPOSE-BUILT DESIGN

This trolling motor is optimised to operate in rough open-water conditions, at either 24 or 36 volts, thanks to the powerful and efficient brushless motor design.

LIVESCOPE™ SONAR CABLE MANAGEMENT

Keep your LiveScope sonar cable protected by running the transducer cable through the trolling motor shaft (accessory purchase required).

---

### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (07) 4776 1188

Email: [jbmarine@bigpond.com](mailto:jbmarine@bigpond.com)

Website: [www.jandbmarine.com](http://www.jandbmarine.com)

102 Cartwright Street Ingham QLD 4850

---

## PERFECT FOR BAY BOATS AND CENTER CONSOLES

Get easy installation where bow space is limited, thanks to the pivot-style mount. The 48-inch, 63-inch, 75-inch and 90-inch shaft lengths accommodate many different boat sizes and deck configurations. TOTAL CONTROL

### STAY PUT

The anchor lock provides our most precise boat positioning technology to help keep the boat in one place.

### FLOATING REMOTE

Use the included remote to help you navigate from anywhere in the boat with our simple point -and-go technology.

### SMARTWATCH INTEGRATION

Connect your compatible Garmin smartwatch to control steering, anchor lock and more from your wrist.

### WIRELESS INTEGRATION

Connect to your compatible chartplotter to create and follow routes for the trolling motor to follow while you fish.

### WHISPER QUIET

Don't spook the fish; the motor is extremely quiet above and below the water.

---

---

#### Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.