

102 Cartwright Street Ingham QLD 4850





Mercury 470 Heavy Duty

POA







Specifications

Boat Details

PricePOABoat BrandMercuryModel470 Heavy DutyLength4.70Year2021CategoryInflatable Boats

Hull Style Single Hull Type Inflatable


Power Type Power Stock Number 0

Condition New State Queensland

Suburb INGHAM Engine Make

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Email: jbmarine@bigpond.com

Website: www.jandbmarine.com

102 Cartwright Street Ingham QLD 4850



Description

Model 470 Heavy Duty Sport FabricMehler Haku PVC or Achillies HP

Boat ColourRed

Max. persons10

Max. HP55

Transom heightLong

Max. engine weight (kg)130

Max. load (kg)1200

Weight1 (kg)172 for Mehler Haku PVC model

179 for Achillies HP model

Length (cm) [outside]470

Width (cm) [outside]216

Tube diameter (cm)54

Number of air chambers5+Keel

KeelInflatable

FloorAluminium

Dimensions of folded boat (cm) - Bag 1

- Bag 2156 x 75 x 45

126 x 71 x 20

Warranty on fabric and seams3 years for Mehler Haku PVC model

5 years for Achillies HP model

Note:

1. Includes weight of oars, does not include the weight of seat (where applicable), double action pump, repair kit and carry bag.

Recommended tube air pressure is 0.25bar (3.6psi)

Due to our constant efforts to offer the finest products available, Mercury inflatables reserves the right to change specifications without notice. Equipment Hull

- Ideal for diving and fishing.
- Aluminium floorboards with strong interior construction (#1 & 2 floorboards are fibreglass).
- Inflatable keel forms a V in bottom of the boat for improved performance.
- Stainless steel towing eyes in transom, make ideal davit lifting points or towing eyes for water sports activities.
- ABS sheet laminated transom, eliminates transom maintenance. Includes plastic shim to raise motor height if necessary.
- Inside one way water drain.

Buoyancy Tube

- Available in Mehler Haku PVC or Achillies HP fabric
- 5 separate internal air chambers for safety.
- Semi-recessed air valves self draining, internal spring-loaded guick seal system, with plug.
- Euro-style rounded and reinforced end cones.
- Easily accessible internal lifting eyes, make ideal davit lifting points.
- Ample grab ropes for easy exit / entry.
- Oar stowage.
- Rub strake.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.



Phone: (07) 4776 1188

Email: jbmarine@bigpond.com

Website: www.jandbmarine.com

102 Cartwright Street Ingham QLD 4850

- 6 x combined external cleat / grab handles for easy transportation and launching.
- 2 external stainless steel D-rings under the bow
- Bow-eye / handle
- Extra eyelets for installing bow bag
- Additional double layer wear pads (embossed anti-skid pattern for Mehler Haku PVC boats) Standard Equipment
- 2 storage / carry bags.
- Repair kit.
- Double action hand pump with gauge.
- Aluminium oars.

Disclaimer

Our company offers the details of this vessel in good faith but cannot guarantee or warrant the accuracy of this information nor warrant the condition of the vessel. A buyer should instruct his agents and/or surveyors to investigate such details buyer desires validated. This vessel is offered subject to prior sale, price change or withdrawal without notice.